


4/10

### Chromosomal insertion of transposon via co-delivery.



Select chromosomal inserts on SM4 + SM5


$$= ME$$

### DOUBLE TRANSPOSITION METHODS FOR MANIPULATING NUCLEIC ACIDS

Inventors: Igor Yu Goryshin/Todd A. Naumann/William S. Reznikoff
Application No.:
Docket Number: 960296.;97541

5/10

In vivo transposition.




### DOUBLE TRANSPOSITION METHODS FOR MANIPULATING NUCLEIC ACIDS Inventors: Igor Yu Goryshin/Todd A. Naumann/William S. Reznikoff

Application No.: Docket Number: 960296.;97541

6/10

#### Screen for chromosomal deletions.



 $SM4^r + SM5^r = No transposition$ 

SM4 + SM5 = Transposition event: Inversion or 'wrong' deletion

SM4 + SM5 = Transposition event: Deletion


### DOUBLE TRANSPOSITION METHODS FOR MANIPULATING NUCLEIC ACIDS Inventors: Igor Yu Goryshin/Todd A. Naumann/William S. Reznikoff

Application No.:

Docket Number: 960296.;97541

7/10

### Direct cloning of chromosomal DNA.



8/10

Insertion of DNA and removal of drug marker.

